



ICD-10-AM/ACHI/ACS Tenth Edition

Errata 1, June 2017 For implementation 1 July 2017

ICD-10-AM Tabular List

Page 3

Realign the three dot points under *Diarrhoea/acute* (shift to the right)

<p>A09.0 Other gastroenteritis and colitis of infectious origin Catarrh, enteric or intestinal Diarrhoea: • acute: → • bloody → • haemorrhagic → • watery • dysenteric • epidemic Infectious: • diarrhoea NOS • or septic: • colitis • enteritis • gastroenteritis</p>	<p>haemorrhagic, NOS</p>
---	--------------------------

Page 86

Relocate the *Inclusion* terms at the fifth character 3

E66 **Obesity and overweight**

...

The following fifth character subdivisions are for use with subcategories E66.1, E66.2 and E66.9:

Fifth characters 1, 2 and 3 are assigned for patients 18 years of age and above.

For patients under 18 years of age, assign fifth character 0.

- 0 body mass index [BMI] not elsewhere classified
- 1 body mass index [BMI] $\geq 30 \text{ kg/m}^2$ to $\leq 34.99 \text{ kg/m}^2$
Obese class I
- 2 body mass index [BMI] $\geq 35 \text{ kg/m}^2$ to $\leq 39.99 \text{ kg/m}^2$
Obese class II
- 3 body mass index [BMI] $\geq 40 \text{ kg/m}^2$
Clinically severe obesity ~~Extreme obesity~~
[Extreme obesity](#)
Obese class III





Page 136

Add dash to E66.2 in the *Excludes* note

G47.3 Sleep apnoea

▼0635

Excludes: Pickwickian syndrome (E66.2-)
sleep apnoea of newborn (P28.3)

Page 183

Add ACS 1012 symbol

J10 Influenza due to other identified influenza virus

▼1012

Influenza due to identified seasonal influenza virus

Excludes: *Haemophilus influenzae* [*H. influenzae*]:

- infection NOS (A49.2)
- meningitis (G00.0)
- pneumonia (J14)

influenza due to A/H5N1 (avian) influenza virus (J09)

Page 243

Relocate term in the *Excludes* note

M54.5 Low back pain
Loin pain
Low back strain
Lumbago NOS

Excludes: loin pain/haematuria syndrome (N39.81)
lumbago:

- due to intervertebral disc displacement (M51.2)
- with sciatica (M54.4) ~~postlaminectomy~~
[postlaminectomy](#) syndrome (M96.1)

Page 268

Delete redundant code in category title

**OTHER DISORDERS OF GENITOURINARY
TRACT
(N99–~~N99~~)**



Page 273

Add instruction

O24.4 Diabetes mellitus arising during pregnancy

[See subdivisions above](#)

Gestational diabetes mellitus NOS

Page 283

Amend Includes note

☉O84.81 Multiple delivery, all assisted, not elsewhere classified

Includes: multiple delivery, all assisted by: [methods listed in O83](#)

~~• manipulation~~

~~• version with extraction~~

Page 410

Add dash to T82.5 in Excludes note

T86.2 Heart transplant failure and rejection

Excludes: complication of:

- artificial heart device (T82.5-)
- heart-lung transplant (T86.3)

Page 471

Amend cross reference

Y75 Neurological devices associated with unintentional events

See [subdivisions](#) ~~fifth character~~ above

Page 605

Amend code title

Appendix D: Classification of Hospital Acquired Diagnoses (CHADx)

12.15 Other disorders predominately related to pregnancy

....

O25 Malnutrition in pregnancy

O264 ~~Herpes~~ [Pemphigoid \[herpes\]](#) gestationis

O265 Maternal hypotension syndrome



ICD-10-AM Alphabetic Index

Page 46

Amend code

Breakdown

- device, implant or graft (*see also Complication(s)/by site and type/mechanical*) T85.88

...

-- catheter NEC T85.69

...

--- vascular infusion T82.52~~9~~

Page 58

Add NEC, codes and terms to index

Care (following) (for) (of)

...

- lactating mother Z39.1

-- for

--- blocked ducts O92.2-

--- breast disorder (implants) (lump) (reduction) NEC O92.2-

--- delayed milk supply O92.4-

--- engorgement O92.2-

--- insufficient milk supply O92.4-

--- nipple

---- blistered O92.2-

---- bruised O92.2-

---- cracked (fissure) O92.1-

---- grazed O92.2-

---- inverted O92.0-

---- [retracted O92.0-](#)

---- transposition O92.2-

--- oversupply of milk O92.6-

...

- well baby [NEC Z76.22](#)

-- [abandoned \(foundling\) Z76.1](#)

-- [awaiting adoption or foster placement Z76.21](#)

Page 67

Amend cross reference

Complication(s) (from) (of)

...

- brain neurostimulator (electrode) — *see Complication(s)/nervous system/device, implant*

~~and~~ [or graft/neurostimulator](#)



Page 68

Amend code

Complication(s) (from) (of)

- ...
- cardiac (*see also* *Complication(s)/by site and type*) I51.9
- ...
- device, implant or graft T82.9
- ...
- valve graft T82.9
- infection or inflammation T82.72

Page 69

Amend code

Complication(s) (from) (of)

- ...
- female genital N94.9
- device, implant or graft T83.9
- ...
- specified NEC T83.89

Page 71

Amend code

Complication(s) (from) (of)

- ...
- postprocedural T81.9
- ...
- elephantiasis or lymphoedema I97.839

Page 71

Add subterms, NEC, cross reference and codes

Complication(s) (from) (of)

- ...
- procedure (surgical or medical care) — *see* *Complication(s)/by site and type*
- prosthetic device, implant or graft (*see also* *Complication(s)/by site and type*) NEC T85.9
- specified NEC T85.88
- puerperal, postpartum — *see* *Puerperal*



Page 72

Add and delete subterms, cross references, NEC, NEMs and codes

Complication(s) (from) (of)

...

- reimplant, [reimplantation](#) (*see also* [Complication\(s\)/by site and type](#)) NEC T85.9
- - limb (infection) (rejection) T87.2
- - - lower T87.1
- - - upper T87.0
- - organ, failure or rejection (~~partial~~) (~~total~~) — *see* [Complication\(s\)/organ or tissue transplant](#)
- - - ~~failure or rejection~~
- - - ~~prosthetic device NEC~~ — *see* [Complication\(s\)/prosthetic device, graft or implant](#)
- - [specified](#) NEC T85.88
- renal — *see* [Complication\(s\)/kidney](#)

Page 75

Amend code

Contraception, contraceptive

...

- device (in situ) (intrauterine) (IUCD) (subdermal hormone implant)
- - causing menorrhagia T83.81

Page 75

Amend cross reference

Contraction(s), contracture, contracted

...

- kidney (granular) (secondary) (*see also* [Sclerosis/kidney](#)) N26
- - congenital Q63.89
- - hydronephritic N13.3
- - - with infection N13.6
- - pyelonephritic (*see also* [Pyelonephritis](#)~~Pyelitis~~/chronic) N11.9

Page 110

Delete subterm and code

Dislocation (articular) T14.3

...

- hip (acetabulum) (femur proximal end) S73.00
- - anterior S73.02
- - congenital Q65.2
- - - bilateral Q65.1
- - - unilateral Q65.0
- - posterior S73.01
- - prosthesis S73.0-
- - - mechanical complication T84.0
- - - ~~recurrent T84.-~~
- - recurrent M24.45



Page 119

Amend code

Displacement, displaced

- ...
- device, implant or graft (*see also Complication(s)/by site and type/mechanical*) T85.69
- ...
- - catheter NEC T85.69
- ...
- - - vascular infusion T82.52~~9~~

Page 131

Amend code

Elephantiasis (nonfilarial) I89.0

- ...
- postprocedural (surgical) I97.83~~9~~

Page 150

Amend codes

Fistula L98.8

- ...
- intestine NEC K63.2
- - postprocedural K91.8~~9~~
- intestinocolonic (abdominal) K63.2
- - postprocedural K91.8~~9~~

Page 179

Amend code, and add subterms, NEM and codes

High — see also Elevated, elevation

- ...
- risk
- ...
- - infant NEC Z76.2~~2~~
- - - [abandoned \(foundling\) Z76.1](#)
- - - [awaiting adoption or foster placement Z76.21](#)

Page 206

Amend code

Injury (see also specified injury type) T14.9

- ...
- lung NEC S27.38
- - transfusion related J95.83~~2~~



Page 221

Amend code

Leak, leakage

- device, implant or graft (*see also Complication(s)/by site and type*) T85.69
- ...
- catheter NEC T85.69
- ...
- vascular infusion T82.52⁹

Page 224

Resequence subterms

Leukaemia (M9800/3)

- ...
- myeloid (M9860/3) C92.9-
- acute NEC (M9861/3) C92.0-
- ...
- CBF-beta/MYH11 (M9871/3) C92.0-
- ~~inv(16)(p13;q22) (M9871/3) C92.0-~~
- inv(3)(q21;q26.2) or t(3;3) (q21;q26.2); RPN1-EVI1 (M9869/3) C92.7-
- [inv\(16\)\(p13;q22\) \(M9871/3\) C92.0-](#)
- M6 (M6a) (M6b) (M9840/3) C94.0-

Page 229

Amend code

Lymphoedema (*see also Elephantiasis*) I89.0

- ...
- surgical NEC I97.83⁹

Page 235

Amend codes, and add subterms, NEMs and codes

Malposition

- ...
- device, implant or graft (*see also Complication(s)/by site and type/mechanical*) T85.69
- ...
- catheter NEC T85.6⁹
- ...
- infusion NEC T82.5²
- [central vascular \(infusion port\) \(PICC\) \(Port-A-Cath\) T82.51](#)
- [peripheral vascular T82.52](#)
- spinal (epidural) (subdural) T85.6⁴
- ...
- heart NEC T82.5⁹
- ...
- vascular NEC T82.5⁹



Page 286

Amend code

Obstruction, obstructed, obstructive

- ...
- device, implant or graft (*see also Complication(s)/by site and type*) T85.69
- ...
- catheter NEC T85.69
- ...
- vascular infusion T82.52⁹

Page 295

Amend code

Pain(s) R52.9

- ...
- due to device, implant or graft NEC (*see also Complication(s)/by site and type*) T85.85
- ...
- fixation, internal (orthopaedic) NEC T84.83⁵

Page 301

Amend cross reference and code

Perforation, perforated (nontraumatic)

- by
- device, implant or graft (*see also Complication(s)/by site and type/mechanical*) T85.69
- ...
- catheter NEC T85.69
- ...
- vascular infusion T82.52⁹

Page 313

Add subterms, cross reference, NEC and code

Pregnancy (single) (uterine)

- complicated by
- conditions in
- N00–N99 NEC O26.81
- N10–N12 O23.0
- N13.6 O23.3
- N15.1 O23.0
- N30 O23.1
- N34 O23.2
- N39.0 O23.4
- [N60–N64 \(see also condition/in pregnancy\) NEC O99.8](#)
- N70–N73, N76, N77* O23.5



Page 317

Delete terms

Pressure

- area, ~~skin ulcer~~ — see *Injury/pressure*

Page 320

Amend codes, and add subterms, NEMs and codes

Protrusion, protrusio

...

- device, implant or graft (*see also Complication(s)/by site and type/mechanical*) T85.69

...

-- catheter NEC T85.69

...

--- infusion NEC T82.52

---- central vascular (infusion port) (PICC) (Port-A-Cath) T82.51

---- peripheral vascular T82.52

---- spinal (epidural) (subdural) T85.64

...

-- heart NEC T82.59

...

-- vascular NEC T82.59

Page 323

Amend code

Puerperal, puerperium — *see also condition/puerperal, postpartum*

...

- neuritis ~~O90.8~~ O99.3

Page 324

Amend lead term

~~Pyelocystitis~~ Pyelonephritis — *continued*

Page 355

Amend code

Stricture (*see also Stenosis*) R68.8

...

- nasopharynx J39.2

-- postprocedural J95.89



Page 378

Amend code, and **delete** subterm, NEMs and code

Transplant(ed) (status) Z94.9

- bone Z94.6
- - marrow Z94.8
- complication NEC (see also *Complication(s)/graft*) T86.898
- ~~- skin (infection) (rejection) T86.88~~
- cornea Z94.7

Page 393

Delete subterms and codes, and **add** *Instructional* notes

Varicose

- ...
- vein (lower limb) (ruptured) I83.9
- - anus ([see also Haemorrhoids](#)) I86.8
- ~~- - in pregnancy O22.4~~
- ~~- - puerperal, postpartum O87.2~~
- - congenital (peripheral) Q27.8
- ...
- - rectum ([see also Haemorrhoids](#)) I86.8
- ~~- - in pregnancy O22.4~~
- ~~- - puerperal, postpartum O87.2~~
- - scrotum (ulcerated) I86.1

Page 394

Delete subterms and codes, and **add** *Instructional* notes

Varix (lower limb) (ruptured) I83.9

- ...
- anus ([see also Haemorrhoids](#)) I86.8
- ~~- - in pregnancy O22.4~~
- ~~- - puerperal, postpartum O87.2~~
- bladder I86.2
- ...
- rectum ([see also Haemorrhoids](#)) I86.8
- ~~- - in pregnancy O22.4~~
- ~~- - puerperal, postpartum O87.2~~
- renal papilla I86.8



ICD-10-AM External Causes of Injury Alphabetic Index

Page 414

Amend code, and **delete** NEMs

Complication(s) (delayed) (medical or surgical procedure) (of or following) Y84.9

...

- surgical operation NEC (*see also Complication(s)/by type of operation*) Y83.9

-- reconstructive Y83.4

--- with

---- anastomosis, bypass or graft Y83.2

---- formation of external stoma Y83.3-

...

- transplant, transplantation (~~heart~~) (~~kidney~~) (~~liver~~) (partial or whole organ, any) NEC
Y83.09



ACHI Tabular List

Page 27

Relocate terms in *Includes* note at 42731-01 [200]

42731-01 Extraction of crystalline lens with removal of vitreous

Limbal:

- capsulectomy
 - lensectomy
 - Pars plana lensectomy
- with vitrectomy

Includes: division of vitreal bands ~~removal of epiretinal membranes~~
[removal of epiretinal membranes](#)

Page 111

Add *Includes* note at 13106-00 [764]

13106-00 Thrombectomy of an external arteriovenous shunt

Declotting of an external arteriovenous shunt

Includes: [transcatheter infusion of thrombolytic or other agent](#)

Page 111

Add *Includes* note at 34515-00 [765]

34515-00 Thrombectomy of arteriovenous fistula

Surgical declotting of arteriovenous fistula

Includes: [transcatheter infusion of thrombolytic or other agent](#)

Page 150

Amend *Excludes* note at block [1043]

1043 Percutaneous nephroscopy

Includes: antegrade pyeloscopy
insertion of ureteric stent

Excludes: that for extraction of renal calculus (~~36627-02~~ [30450-01](#), [36639-02](#) [1041];
~~36639-00, 36645-00~~ [1046])



Page 155

Delete reference to ACS 1436 at 36800-00 [1090] and 36800-03 [1090]

36800-00 Bladder catheterisation

▽ 0042, 1436

Insertion of indwelling urinary catheter

Excludes: that for replacement (36800-01 [1090])

that via:

- cystostomy (37008-00 [1093])
- cystostomy (37011-00 [1093], 37008-02 [1094])

...

36800-03 Endoscopic removal of indwelling urinary catheter

▽ 1436

Excludes: that with replacement (36800-01 [1090])

Page 163

Amend *Excludes* notes at 37604-02 [1173] and 37604-03 [1173]

37604-02 Exploration of scrotal contents with biopsy, unilateral

Biopsy of tunica vaginalis, unilateral

Incision and drainage of:

- | | | |
|---|--|-------------------------|
| <ul style="list-style-type: none"> • scrotum • tunica vaginalis | | with biopsy, unilateral |
|---|--|-------------------------|

Excludes: percutaneous biopsy (37604-18 [1173])

that with:

- biopsy of:
- seminal vesicle (37218-00 [1163], 37212-00 [1164])
- spermatic cord, epididymis, vas deferens (30644-06 [1180])
- testis (30644-04, 30644-05 [1180])
- fixation of testis ([orchidopexy](#)) (37604 [1175], [37604 \[1188\]](#))

~~• orchidopexy for undescended testis (37803 [1186], 37809 [1188])~~

37604-03 Exploration of scrotal contents with biopsy, bilateral

Biopsy of tunica vaginalis, bilateral

Incision and drainage of:

- | | | |
|---|--|------------------------|
| <ul style="list-style-type: none"> • scrotum • tunica vaginalis | | with biopsy, bilateral |
|---|--|------------------------|

Excludes: percutaneous biopsy (37604-18 [1173])

that with:

- biopsy of:
- seminal vesicle (37218-00 [1163], 37212-00 [1164])
- spermatic cord, epididymis, vas deferens (30644-06 [1180])
- testis (30644-04, 30644-05 [1180])
- fixation of testis ([orchidopexy](#)) (37604 [1175], [37604 \[1188\]](#))

~~• orchidopexy for undescended testis (37803 [1186], 37809 [1188])~~



Page 173

Add *Excludes* notes to codes in blocks [1268] and [1269]

1268 Abdominal hysterectomy

...

35653-04 Total abdominal hysterectomy with removal of adnexa
Subtotal abdominal hysterectomy with removal of adnexa

Includes: excision of (bilateral) (unilateral):

- fallopian tube
- ovarian cyst
- ovary

Excludes: [radical abdominal hysterectomy \(35667-00 \[1268\]\)](#)

...

35670-00 Abdominal hysterectomy with radical excision of pelvic lymph nodes
Abdominal hysterectomy (subtotal)(total) with radical excision of pelvic lymph nodes

Includes: salpingo-oophorectomy (bilateral)(unilateral)

Excludes: [radical abdominal hysterectomy \(35664-00 \[1268\]\)](#)

...

1269 Vaginal hysterectomy

...

35673-02 Vaginal hysterectomy with removal of adnexa

Includes: excision of (bilateral) (unilateral):

- fallopian tube
- ovarian cyst
- ovary

Excludes: [radical vaginal hysterectomy \(35667-01, 35664-01 \[1269\]\)](#)

Page 217

Relocate *Inclusion* terms at 50124-01 [1552]

50124-01 Administration of agent into joint or other synovial cavity, not elsewhere classified

Administration of agent into joint or other synovial cavity for local effect NOS

Injection [into bursa of:](#)

~~into bursa of:~~

- corticosteroid
- local anaesthesia



Page 259

Amend *Excludes* note at block **[1820]**

1820

Physiological assessment

A physiological investigation to assess function using techniques such as history taking, observation, inspection, palpation, percussion, auscultation and other such physical tests

Excludes: that as part of:

- ageing assessment (96023-00 **[1824]**)
- developmental testing (96184-00 **[1824]**)
- genetic assessment (96035-00 **[1824]**)
- mental and/or behavioural assessment (~~96175-00~~ [96236-00](#), [96237-00](#) **[1823]**)

Page 260

Amend *Excludes* note at 96027-00 **[1822]**

96027-00 Prescribed/self-selected medication assessment

...

Excludes: advice, education or recommendations on prevention and other aspects of adverse drug reaction management or recommendations about medication regimes (96072-00 **[1867]**)
assessment of illicit drug use (96034-00 **[1823]**)
prescription of psychotherapeutic drugs ([96241](#) **[1922]**)

Page 281

Amend *Excludes* note at 92178-00 **[1880]**

92178-00 Heat therapy

...

Excludes: thermocauterisation (see Alphabetic Index: Thermocauterisation)
thermocoagulation (see Alphabetic Index: Neurotomy/by site/radiofrequency)
thermokeratoplasty (90064-01 **[173]**)
thermosclerectomy (42746-05 **[191]**)
thermotherapy to prostate by microwaves (~~37203-04~~ **[1166]** [37224-00](#) **[1162]**)



Page 286

Delete reference to ACS 1436 at 92119-00 [1902]

92119-00 Removal of other urinary drainage device

~~▽ 1436~~

Removal of indwelling urinary catheter

Excludes: endoscopic:

- removal of indwelling urinary catheter (36800-03 [1090])
- removal of ureteral catheter (92118-00 [1902])
- replacement of indwelling urinary catheter (36800-01 [1090])

Page 289

Amend code title at 92508-XX [1909]

92508-XX Neuraxial blockk

Page 292

Amend code titles in block [1920]

96196-XX Intra-arterial administration of pharmacological agent, ~~antineoplastic agent~~
...

96197-XX Intramuscular administration of pharmacological agent, ~~antineoplastic agent~~

96198-XX Intrathecal administration of pharmacological agent, ~~antineoplastic agent~~
...

96199-XX Intravenous administration of pharmacological agent, ~~antineoplastic agent~~
...

96200-XX Subcutaneous administration of pharmacological agent, ~~antineoplastic agent~~
...

96201-XX Intracavitary administration of pharmacological agent, ~~antineoplastic agent~~

96202-XX Enteral administration of pharmacological agent, ~~antineoplastic agent~~

96203-XX Oral administration of pharmacological agent, ~~antineoplastic agent~~
...

96205-XX Other administration of pharmacological agent, ~~antineoplastic agent~~
...

96206-XX Unspecified administration of pharmacological agent, ~~antineoplastic agent~~

96209-XX Loading of drug delivery device, ~~antineoplastic agent~~



Pages 313 and 316

Delete MBS item and ACHI code map, and **amend** ACHI code map

APPENDIX A

MAPPING TABLE: FOR MBS ITEMS NOT INCLUDED IN ACHI

MBS Item	ACHI Code Map
14221	13939
14224	93341
14227	13939
...	
37622	37623
37806	37604 803
38220	38215



ACHI Alphabetic Index

Page 3

Amend cross reference

Administration (around) (into) (local) (of) (therapeutic agent) NEC — *code to block* [1920]
with extension -19

...

- specified site

...

-- nerve

--- for

---- operative anaesthesia — see *Anaesthesia/conduction/regional block/nerve of*

Page 52

Add essential modifiers

Declotting

- arteriovenous

-- fistula (surgical) 34515-00 [765]

--- by transcatheter infusion of thrombolytic agent [alone](#) (open)
(percutaneous) 35317-01 [741]

-- shunt (external) (surgical) 13106-00 [764]

--- by transcatheter infusion of thrombolytic agent [alone](#) (open)
(percutaneous) 35317-01 [741]

- artery, by transcatheter infusion of agent [alone](#) (open) (percutaneous)
35317-01 [741]

- vein, by transcatheter infusion of agent [alone](#) (open) (percutaneous)
35317-01 [741]

Pages 68 and 69

Add essential modifiers

Embolectomy

...

- fistula

-- arteriovenous (surgical) 34515-00 [765]

--- by transcatheter infusion of thrombolytic agent [alone](#)
(open) (percutaneous) 35317-01 [741]

- shunt

-- arteriovenous (external) 13106-00 [764]

--- by transcatheter infusion of thrombolytic agent [alone](#)
(open) (percutaneous) 35317-01 [741]



Page 76

Amend cross reference

Excision — see also *Removal*

...

- haematoma — see *Drainage/haematoma* ~~OR Evacuation/haematoma~~

Page 112

Add subterms, NEMs and codes, **delete** subterms, NEMs and codes
[Note: suggest cut and paste this section]

Hysterectomy

- abdominal (total) 35653-01 [1268]

-- with

--- dissection of pelvic lymph nodes 35670-00 [1268]

--- extensive retroperitoneal dissection 35661-00 [1268]

--- oophorectomy (bilateral) (unilateral) 35653-04 [1268]

---- laparoscopic 90448-02 [1268]

--- radical excision of pelvic lymph nodes 35670-00 [1268]

--- salpingectomy (bilateral) (unilateral) 35653-04 [1268]

---- laparoscopic 90448-02 [1268]

--- salpingo-oophorectomy (bilateral) (unilateral) 35653-04 [1268]

---- laparoscopic 90448-02 [1268]

-- laparoscopic 90448-01 [1268]

-- subtotal (supracervical) 35653-00 [1268]

--- laparoscopic 90448-00 [1268]

- radical (with mobilisation of ureters) (with salpingo-oophorectomy)

-- abdominal 35667-00 [1268]

--- with radical excision of pelvic lymph nodes 35664-00 [1268]

-- vaginal 35667-01 [1269]

--- with radical excision of pelvic lymph nodes 35664-01 [1269]

- vaginal 35657-00 [1269]

-- with

--- oophorectomy (bilateral) (unilateral) 35673-02 [1269]

---- laparoscopically assisted (guided) 35753-02 [1269]

--- salpingectomy (bilateral) (unilateral) 35673-02 [1269]

---- laparoscopically assisted (guided) 35753-02 [1269]

--- salpingo-oophorectomy (bilateral) (unilateral) 35673-02 [1269]

---- laparoscopically assisted (guided) 35753-02 [1269]

-- laparoscopically assisted (guided) 35750-00 [1269]

--- proceeding to abdominal hysterectomy (open) 90343-01 [1011]

~~--- abdominal (total) 35653-01 [1268]~~

~~-- with~~

~~--- extensive retroperitoneal dissection 35661-00 [1268]~~

~~--- oophorectomy (bilateral) (unilateral) 35653-04 [1268]~~

~~--- radical excision of pelvic lymph nodes 35670-00 [1268]~~

~~--- salpingectomy (bilateral) (unilateral) 35653-04 [1268]~~

~~--- salpingo-oophorectomy (bilateral) (unilateral) 35653-04 [1268]~~

~~--- laparoscopic 90448-01 [1268]~~

~~-- with~~

~~--- oophorectomy (bilateral) (unilateral) 90448-02 [1268]~~

~~--- salpingectomy (bilateral) (unilateral) 90448-02 [1268]~~

~~--- salpingo-oophorectomy (bilateral) (unilateral) 90448-02 [1268]~~

~~-- radical (with mobilisation of ureters) (with salpingo-oophorectomy) 35667-00 [1268]~~

~~--- with radical excision of pelvic lymph nodes 35664-00 [1268]~~



- ~~--- subtotal (supracervical) 35653-00 [1268]~~
- ~~--- with~~
- ~~--- oophorectomy (bilateral) (unilateral) 35653-04 [1268]~~
- ~~--- salpingectomy (bilateral) (unilateral) 35653-04 [1268]~~
- ~~--- salpingo-oophorectomy (bilateral) (unilateral) 35653-04 [1268]~~
- ~~--- laparoscopic 90448-00 [1268]~~
- ~~--- with~~
- ~~--- oophorectomy (bilateral) (unilateral) 90448-02 [1268]~~
- ~~--- salpingectomy (bilateral) (unilateral) 90448-02 [1268]~~
- ~~--- salpingo-oophorectomy (bilateral) (unilateral) 90448-02 [1268]~~
- ~~- vaginal 35657-00 [1269]~~
- ~~- with~~
- ~~--- oophorectomy (bilateral) (unilateral) 35673-02 [1269]~~
- ~~--- salpingectomy (bilateral) (unilateral) 35673-02 [1269]~~
- ~~--- salpingo-oophorectomy (bilateral) (unilateral) 35673-02 [1269]~~
- ~~--- laparoscopically-assisted (guided) 35750-00 [1269]~~
- ~~--- with~~
- ~~--- oophorectomy (bilateral) (unilateral) 35753-02 [1269]~~
- ~~--- salpingectomy (bilateral) (unilateral) 35753-02 [1269]~~
- ~~--- salpingo-oophorectomy (bilateral) (unilateral) 35753-02 [1269]~~
- ~~--- proceeding to abdominal hysterectomy (open) 90343-01 [1011]~~
- ~~--- radical (with salpingo-oophorectomy) 35667-01 [1269]~~
- ~~--- with radical excision of pelvic lymph nodes 35664-01 [1269]~~

Page 136

Amend cross reference

- Laser therapy** — see also *Destruction/by site*
- ...
- lesion (tissue) — see also *Laser therapy/by site*
- ...
- - nose (skin) — see also *Laser therapy/lesion/skin*
 - - - intranasal — see *Laser therapyDestruction/lesion/intranasal*

Page 149

Amend cross references

- Nephroscopy** (antegrade pyeloscopy) (percutaneous) 36627-00 [1043]
- with
 - - biopsy 36627-01 [1047]
 - - diathermy 90370-02 [1046]
 - - extraction of calculus (stone) 30450-01 [1041]
 - - - with fragmentation 36639-02 [1041]
 - - incision of
 - - - renal
 - - - - calyx 36633-01 [1043]
 - - - - - for removal of calculus — see *Nephroscopy/with/extraction of renal calculus*
 - - - - pelvis 36633-00 [1043]
 - - - - - for removal of calculus — see *Nephroscopy/with/extraction of renal calculus*
 - - - ureter 36633-02 [1043]



Page 166

Add subterms, NEMs and codes

Procedure

- ...
- digestive system NEC 90335-01 [**1011**]
- ...
- - liver ([open](#)) 90319-00 [**956**]
- - - closed (percutaneous) 90319-04 [**956**]
- - - endoscopic 90319-03 [**956**]
- - oesophagus 90301-00 [**869**]

Page 168

Add subterms, NEMs and codes

Procedure

- ...
- liver ([open](#)) NEC 90319-00 [**956**]
- - - closed (percutaneous) 90319-04 [**956**]
- - - endoscopic 90319-03 [**956**]
- LLETZ (large loop excision of transformation zone) 35647-00 [**1275**]

Page 198

Amend cross reference

Removal — *see also* *Excision*

- ...
- pseudophakos — *see* *Removal/lens*, ~~artificial~~[intraocular](#)

Page 217

Amend code

Replacement

- ...
- pseudophakos — *see* *Replacement/lens*, ~~artificial~~[intraocular](#)

Page 229

Amend cross reference

Robotic-assisted intervention (Da Vinci system) ~~96223-00~~[96233-00](#) [**1923**]



Pages 248 and 249

Add essential modifiers

Thrombectomy

...

- fistula
- - arteriovenous (surgical) 34515-00 **[765]**
- - - by transcatheter infusion of thrombolytic agent [alone](#) (open)
(percutaneous) 35317-01 **[741]**
- shunt
- - arteriovenous (external) 13106-00 **[764]**
- - - by transcatheter infusion of thrombolytic agent [alone](#) (open)
(percutaneous) 35317-01 **[741]**
- vein (with stenting) 33812-04 **[729]**
- - by transcatheter infusion of thrombolytic agent [alone](#) (open)
(percutaneous) 35317-01 **[741]**



Australian Coding Standards (ACS)

Page XIII

Amend text

[Note: suggest cut and paste this section]

INTRODUCTION

DESCRIPTION OF ICD-10-AM AND ACHI

~~A classification of diseases can be defined as a system of categories to which morbid entities are assigned according to established criteria. The purpose of the ICD-10-AM and ACHI is to permit the systematic recording, analysis, interpretation and comparison of morbidity data collected in different hospitals, states and countries. The ICD-10-AM and ACHI system enables the translation of diagnoses and procedures and other health problems from words into an alphanumeric/numeric code, which permits easy storage, retrieval and analysis of the data.~~

ICD-10-AM and ACHI are statistical disease and intervention classifications. A statistical classification is a system of categories to which entities are assigned according to established criteria. ICD-10-AM and ACHI permit the systematic recording, analysis, interpretation and comparison of morbidity and health intervention data collected in different hospitals, states and countries. ICD-10-AM and ACHI enable the classification of diagnoses and other health problems, and interventions from clinical concepts into an alphanumeric/numeric code, which permits easy storage, retrieval and analysis of the data.

The 'ICD' was first used to classify causes of mortality as recorded at the registration of death. Later, its scope was extended to include diagnoses in morbidity. It is important to note that although the ICD is primarily designed for the classification of diseases and injuries with a formal diagnosis, not every problem or reason for coming into contact with health services can be categorised in this way. Consequently, the ICD provides for a wide variety of signs, symptoms, abnormal findings, complaints and social circumstances that may stand in place of a diagnosis.

Page 24

Amend typographical error in ACS 0052 Example 7

0052 SAME-DAY ENDOSCOPY - SURVEILLANCE

...

EXAMPLE 7:

Follow-up coeliac disease. eOesophagogastroduodenoscopy (OGD) with biopsy performed. No evidence of coeliac disease found in biopsied tissue.

Codes: K90.0 *Coeliac disease*



Page 50

Amend code in ACS 0102 Example 5

0102 HIV/AIDS (HUMAN IMMUNODEFICIENCY VIRUS/ACQUIRED IMMUNE DEFICIENCY SYNDROME)

...

EXAMPLE 5:

A person with AIDS status presents for multi-drug intravenous (IV) infusion for pulmonary mycobacterium avium complex (MAIC) on a same-day basis.

Codes:	Pulmonary MAIC	A31.0	<i>Pulmonary mycobacterial infection</i>
	AIDS	B20	<i>Human immunodeficiency virus [HIV] disease resulting in infectious and parasitic diseases</i>
	Multi-drug IV infusion	96199-019 [1920]	<i>Intravenous administration of pharmacological agent, other and unspecified pharmacological agent</i>

Page 60

Delete sentence

0112 INFECTION WITH DRUG RESISTANT MICROORGANISMS**Definition**

Resistance to a drug can be identified in most organisms. This standard deals with the coding of antibiotic or antimicrobial drug resistant organisms that have caused an infection in the patient.

It is important to distinguish between 'infection' caused by an organism and 'colonisation' with an organism. A patient may be colonised with an organism but have no signs or symptoms of infection caused by that organism. Thus microbiology reports may indicate the presence of MRSA (Methicillin Resistant or Multi-Resistant *Staphylococcus aureus*), VRE (Vancomycin Resistant Enterococcus) or any other organism, but the patient may not have an infection caused by that organism. ~~In this case, no infection or drug resistant microorganism codes should be assigned.~~



Pages 72

Delete cross reference in ACS 0303 Example 5

0303 ABNORMAL COAGULATION PROFILE DUE TO ANTICOAGULANTS

...

EXAMPLE 5 (~~see also ACS 1902 Adverse effects~~):

Patient admitted with epistaxis due to long term warfarin use.

Codes:	R04.0	<i>Epistaxis</i>
	D68.3	<i>Haemorrhagic disorder due to circulating anticoagulants</i>
	Y44.2	<i>Anticoagulants causing adverse effects in therapeutic use</i>
	Y92.23	<i>Place of occurrence, health service area, not specified as this facility</i>

(See also ACS 1902 Adverse effects)

In this example, D68.3 *Haemorrhagic disorder due to circulating anticoagulants* is assigned as there is a clearly documented causal relationship between the bleeding and the use of warfarin.

Page 97

Amend code in ACS 0534

0534 SPECIFIC INTERVENTIONS RELATED TO MENTAL HEALTH CARE SERVICES

...

EXAMPLE 2:

A patient was assessed for his cognitive function by a psychologist who also provided psychosocial counselling.

Codes:	96238-00 [1823]	<i>Cognitive and/or behavioural assessment</i>
	96086-00 [1868]	<i>Other psychosocial counselling</i>

For admitted episodes of care do not assign 96241-~~00XX~~ [1922] *Prescription of psychotherapeutic agent* and codes from block [1920] *Administration of pharmacotherapy* with an extension of -10 *Administration of psychotherapeutic agent*. However, these codes may be assigned for patients treated in residential or ambulatory mental health care facilities.



Page 127

Amend code title listed in ACS 0936

0936 CARDIAC PACEMAKERS AND IMPLANTED DEFIBRILLATORS

...

Complications of the pacemaker or defibrillator system are assigned codes:

T82.1 *Mechanical complication of cardiac electronic device*

includes malfunctioning pacemaker, defibrillator, electrodes or leads, lead fracture or electrode or lead dislodgement.

T82.71 *Infection and inflammatory reaction due to ~~cardiac~~ electronic cardiac device*

includes infected pacemaker or defibrillator (pocket) or infection due to lead or electrodes.

Page 135

Add text in ACS 0943

0943 THROMBOLYTIC THERAPY

...

Thrombolytic agents may be administered:

- systemically: delivered by an initial intravenous (IV) bolus injection, followed by IV [or intra-arterial](#) infusion. Systemic delivery is usually indicated for treatment of acute ischaemic stroke, acute myocardial infarct or acute massive pulmonary embolism

Page 171

Add text in ACS 1511

1511 TERMINATION OF PREGNANCY

Induced abortion is defined as extraction, or expulsion following induction or other procedure, of the products of conception to intentionally terminate pregnancy, and may be performed before or after fetal viability. Fetal viability is defined as 20 completed weeks (140 days) gestation and/or fetal weight greater than or equal to 400g.

Medical abortion is an induced abortion performed in a health facility usually for medical/legal/mental health indications.

For delivery episodes of care following **fetal death in utero** (intrauterine death) ([not induced](#)), follow the [Alphabetic Index at Death/fetus, fetal and the](#) guidelines in ACS 1500 *Diagnosis sequencing in delivery episodes of care.*



Page 180

Amend typographical error in example 8

1548 PUERPERAL/POSTPARTUM CONDITION OR COMPLICATION

...

EXAMPLE 8:

Term delivery; twin 1 delivered in the ambulance on the way to hospital. Twin 2 delivered in hospital by emergency lower segment caesarean section (LSCS).

Codes: O84.82 *Multiple delivery by combination of methods*

O30.0 *Twin pregnancy*

Z37.2 *Twins, both liveborn*

In this example O84.82 was assigned as the **D**elivery was not complete prior to admission. Z39.0- was not assigned as it was a delivery episode of care.

Page 185

Amend code in ACS 1605 Example 1

1605 CONDITIONS ORIGINATING IN THE PERINATAL PERIOD

...

EXAMPLE 1:

A premature baby girl (born at 33 weeks; birth weight 1300g), was sent to the special care nursery with intrauterine growth retardation (IUGR), jaundice and hypoglycaemia. The infant was treated with 24 hours of phototherapy, intravenous (IV) dextrose and frequent oral feeds.

Codes: P07.32 *Other preterm infant, 32 or more completed weeks but less than 37 completed weeks*

P07.12 *Other low birth weight 1250–1499g*

P05.9 *Slow fetal growth, unspecified*

P59.0 *Neonatal jaundice associated with preterm delivery*

P70.4 *Other neonatal hypoglycaemia*

Z38.0 *Singleton, born in hospital*

90677-00 [1611] *Other phototherapy, skin*

96199-019 [1920] *Intravenous administration of pharmacological agent, other and unspecified pharmacological agent*



Page 191

Amend code in ACS 1615

1615 SPECIFIC DISEASES AND INTERVENTIONS RELATED TO THE SICK NEONATE

...

Parenteral fluid therapy

Total Parenteral Nutrition (TPN):

96199-07 [1920] *Intravenous administration of pharmacological agent, nutritional substance*

Electrolytes:

96199-08 [1920] *Intravenous administration of pharmacological agent, electrolytes*

Dextrose:

96199-019 [1920] *Intravenous administration of pharmacological agent, other and unspecified pharmacological agent*

Page 210

Amend text in ACS 1904

1904 PROCEDURAL COMPLICATIONS

...

External cause codes

An external cause code from Y83–Y84 is assigned to describe the type of procedure causing a complication irrespective of whether the complication is noted during or after the procedure and no unintentional event has occurred.

EXAMPLE 17:

Stone spill from the gallbladder during cholecystectomy.

Codes:	K91.89	<i>Other intraoperative and postprocedural disorders of digestive system, not elsewhere classified</i>
	Y83.6	<i>Removal of other organ (partial) (total)</i>
	Y92.24	<i>Place of occurrence, health service area, this facility</i>

An external cause code from Y60–Y69 or Y70–Y82 (instead of Y83–Y84) is assigned only when there is documentation of harm resulting from an unintentional event during the provision of care (see also *Unintentional event* below).

~~See *Sequelae* section for advice on assignment of~~ [Assign an external cause code from category Y88 *Sequelae with surgical and medical care as external cause* when the complication is a current condition that is the result of a previously occurring procedural complication.](#)



Page 212

Amend text in ACS 1904

1904 PROCEDURAL COMPLICATIONS

...

SEQUELAE

A sequela of a complication is a current condition that is the result of a previously occurring procedural complication.

Two [disease](#) codes are required to classify sequelae of procedural complications:

- a code for the residual condition or nature of the sequela (the current condition)
- T98.3 *Sequelae of complications of surgical and medical care, not elsewhere classified*

See also ACS 0008 *Sequelae* [and ACS 1912 *Sequelae of injuries, poisoning, toxic effects and other external causes.*](#)